

TECHNICAL MANUAL  
 No. 5-809-10  
 NAVY MANUAL  
 NAVFAC P-355  
 AIR FORCE MANUAL  
 NO. 88-3, CHAP 13

HEADQUARTERS  
 DEPARTMENTS OF THE ARMY  
 THE NAVY, AND THE AIR FORCE  
 WASHINGTON, DC, 20 October 1992

## SEISMIC DESIGN FOR BUILDINGS

|         |   | Paragraph | Page |
|---------|---|-----------|------|
| CHAPTER | 1. GENERAL                                      |           |      |
|         | Purpose .....                                   | 1-1       | 1-1  |
|         | Scope .....                                     | 1-2       | 1-1  |
|         | References .....                                | 1-3       | 1-1  |
|         | Design criteria .....                           | 1-4       | 1-1  |
|         | Organization of manual .....                    | 1-5       | 1-1  |
|         | Preparation of project documents .....          | 1-6       | 1-1  |
| CHAPTER | 2. INTRODUCTION TO SEISMIC DESIGN               |           |      |
|         | Introduction .....                              | 2-1       | 2-1  |
|         | General .....                                   | 2-2       | 2-1  |
|         | Ground motion .....                             | 2-3       | 2-1  |
|         | Structural response .....                       | 2-4       | 2-1  |
|         | Behavior of buildings .....                     | 2-5       | 2-2  |
|         | Nature of seismic codes .....                   | 2-6       | 2-2  |
|         | Fundamentals of seismic design .....            | 2-7       | 2-4  |
|         | Alternatives to the prescribed provisions ..... | 2-8       | 2-7  |
|         | Future expansion .....                          | 2-9       | 2-8  |
|         | Existing buildings .....                        | 2-10      | 2-8  |
|         | Major checkpoints .....                         | 2-11      | 2-8  |
| CHAPTER | 3. DESIGN CRITERIA                              |           |      |
|         | Introduction .....                              | 3-1       | 3-1  |
|         | General .....                                   | 3-2       | 3-1  |
|         | Seismic design provisions .....                 | 3-3       | 3-1  |
|         | Seismic zone map .....                          | 3-4       | 3-1  |
|         | Seismic zone factor, Z .....                    | 3-5       | 3-1  |
|         | Types of occupancy .....                        | 3-6       | 3-1  |
|         | Importance factors .....                        | 3-7       | 3-5  |
|         | Approved systems .....                          | 3-8       | 3-5  |
|         | Dynamic analysis .....                          | 3-9       | 3-5  |
|         | Quality control .....                           | 3-10      | 3-5  |
| CHAPTER | 4. APPLICATION OF CRITERIA                      |           |      |
|         | Introduction .....                              | 4-1       | 4-1  |
|         | Site conditions .....                           | 4-2       | 4-2  |
|         | Facility conditions .....                       | 4-3       | 4-2  |
|         | Selection of method of analysis .....           | 4-4       | 4-2  |
|         | Building systems .....                          | 4-5       | 4-3  |
|         | C-factor and the building period, T .....       | 4-6       | 4-6  |
|         | Base shear .....                                | 4-7       | 4-11 |
|         | Direction of forces .....                       | 4-8       | 4-15 |
|         | Distribution of forces .....                    | 4-9       | 4-15 |
|         | Vertical seismic forces .....                   | 4-10      | 4-20 |
|         | Detailed design requirements .....              | 4-11      | 4-20 |
|         | Deformation requirements .....                  | 4-12      | 4-21 |
|         | Connections between elements .....              | 4-13      | 4-21 |
|         | Diaphragms .....                                | 4-14      | 4-22 |
|         | Elements and components .....                   | 4-15      | 4-22 |
|         | Nonbuilding structures .....                    | 4-16      | 4-22 |
|         | Planning .....                                  | 4-17      | 4-22 |
|         | Design .....                                    | 4-18      | 4-24 |
| CHAPTER | 5. DIAPHRAGMS                                   |           |      |
|         | Introduction .....                              | 5-1       | 5-1  |

\*This manual supersedes TM 5-809-10/NAVFAC P-355/AFM 88-3, Chap. 13, dated 15 February 1982

# TM 5-809-10/NAVFAC P-355/AFM 88-3. Chap 13

|         |  | Paragraph | Page  |
|---------|--|-----------|-------|
|         | General .....  | 5-2       | 5-1   |
|         | Diaphragm flexibility .....                                      | 5-3       | 5-3   |
|         | Torsion .....  | 5-4       | 5-5   |
|         | Flexibility limitations .....                                    | 5-5       | 5-9   |
|         | Design of diaphragms .....                                       | 5-6       | 5-11  |
|         | Concrete diaphragms .....  | 5-7       | 5-12  |
|         | Gypsum diaphragms, cast-in-place .....                           | 5-8       | 5-14  |
|         | Steel deck diaphragms (single-and multiple-sheet decks) .....    | 5-9       | 5-15  |
|         | Wood diaphragms .....  | 5-10      | 5-36  |
|         | Horizontal bracing .....   | 5-11      | 5-39  |
| CHAPTER | <b>6. SHEAR WALLS</b>  |           |       |
|         | Introduction .....   | 6-1       | 6-1   |
|         | General .....  | 6-2       | 6-1   |
|         | Design forces .....  | 6-3       | 6-1   |
|         | Wall components .....  | 6-4       | 6-9   |
|         | In-plane effects .....   | 6-5       | 6-1   |
|         | Out-of-plane effects .....                                       | 6-6       | 6-5   |
|         | Cast-in-place concrete shear walls .....                         | 6-7       | 6-6   |
|         | Tilt-up & other precast concrete shear walls .....               | 6-8       | 6-9   |
|         | Masonry shear walls .....  | 6-9       | 6-12  |
|         | Wood stud shear walls .....                                      | 6-10      | 6-20  |
|         | Steel stud shear walls .....                                     | 6-11      | 6-20  |
| CHAPTER | <b>7. BRACED FRAMES</b>  |           |       |
|         | Introduction .....   | 7-1       | 7-1   |
|         | General .....  | 7-2       | 7-1   |
|         | Concentric braced frames (CBF) .....                             | 7-3       | 7-1   |
|         | Eccentric braced steel frames (EBF) .....                        | 7-4       | 7-3   |
|         | Knee-braced frames (KBF) .....                                   | 7-5       | 7-6   |
| CHAPTER | <b>8. CONCRETE MOMENT RESISTING FRAMES</b>                       |           |       |
|         | Introduction .....   | 8-1       | 8-1   |
|         | General .....  | 8-2       | 8-1   |
|         | Classification of concrete seismic moment resisting frames ..... | 8-3       | 8-1   |
|         | Type A frames .....  | 8-4       | 8-1   |
|         | Type B frames .....  | 8-5       | 8-3   |
|         | Type C frames .....  | 8-6       | 8-19  |
|         | Type D frames .....  | 8-7       | 8-19  |
|         | Nonseismic frames .....  | 8-8       | 8-19  |
| CHAPTER | <b>9. STEEL MOMENT RESISTING FRAMES</b>                          |           |       |
|         | Introduction .....   | 9-1       | 9-1   |
|         | General .....  | 9-2       | 9-1   |
|         | Steel special moment resisting frames (steel SMRF) .....         | 9-3       | 9-1   |
|         | Steel ordinary moment resisting frames (steel OMRF) .....        | 9-4       | 9-2   |
| CHAPTER | <b>10. FOUNDATIONS</b>   |           |       |
|         | Introduction .....   | 10-1      | 10-1  |
|         | General .....  | 10-2      | 10-1  |
|         | Design of elements .....   | 10-3      | 10-2  |
|         | Foundation capacities .....                                      | 10-4      | 10-2  |
| CHAPTER | <b>11. ARCHITECTURAL ELEMENTS</b>                                |           |       |
|         | Introduction .....   | 11-1      | 11-1  |
|         | Definition .....   | 11-2      | 11-1  |
|         | Design criteria .....  | 11-3      | 11-1  |
|         | Detailed requirements .....                                      | 11-4      | 11-2  |
|         | Alternative designs .....  | 11-5      | 11-7  |
| CHAPTER | <b>12. MECHANICAL AND ELECTRICAL EQUIPMENT</b>                   |           |       |
|         | Introduction .....   | 12-1      | 12-1  |
|         | General .....  | 12-2      | 12-1  |
|         | Rigid and/or rigidly supported equipment in buildings .....      | 12-3      | 12-2  |
|         | Nonrigid or flexibly supported equipment in buildings .....      | 12-4      | 12-2  |
|         | Equipment on the ground .....                                    | 12-5      | 12-6  |
|         | Lighting fixtures in buildings .....                             | 12-6      | 12-7  |
|         | Piping in buildings .....  | 12-7      | 12-7  |
|         | Stacks .....   | 12-8      | 12-13 |
|         | Bridge cranes and monorails .....                                | 12-9      | 12-13 |
|         | Elevators .....  | 12-10     | 12-15 |
|         | Typical details for securing equipment .....                     | 12-11     | 12-18 |

|          |   | Paragraph | Page |
|----------|---|-----------|------|
| CHAPTER  | 13. NONBUILDING STRUCTURES                                  |           |      |
|          | Introduction .....  | 13-1      | 13-1 |
|          | General .....   | 13-2      | 13-1 |
|          | Elevated tanks and other inverted pendulum structures ..... | 13-3      | 13-1 |
|          | Vertical tanks (on ground) .....                            | 13-4      | 13-1 |
|          | Horizontal tanks (on ground) .....                          | 13-5      | 13-7 |
|          | Retaining walls .....                                       | 13-6      | 13-7 |
|          | Buried structures .....                                     | 13-7      | 13-7 |
| CHAPTER  | 14. UTILITY SYSTEMS   |           |      |
|          | Introduction .....  | 14-1      | 14-1 |
|          | General .....   | 14-2      | 14-1 |
|          | Earthquake considerations for utility systems .....         | 14-3      |      |
|          | General planning considerations .....                       | 14-4      | 14-1 |
|          | Specific planning considerations .....                      | 14-5      | 14-2 |
|          | Design considerations .....                                 | 14-6      | 14-3 |
|          | Seismic details .....                                       | 14-7      | 14-4 |
| APPENDIX | A. REFERENCES   |           | A-1  |
| APPENDIX | B. SEAOC RECOMMENDATIONS                                    |           | B-1  |
| APPENDIX | C. SEAOC AMENDMENTS TO ACI 318                              |           | C-1  |
| APPENDIX | D. DESIGN EXAMPLES-BUILDING SYSTEMS                         |           | D-1  |
| APPENDIX | E. DESIGN EXAMPLES-MECHANICAL AND ELECTRICAL EQUIPMENT      |           |      |
| APPENDIX | F. DESIGN EXAMPLES-NONBUILDING STRUCTURES                   |           |      |

### LIST OF FIGURES

| Figure | Title   | Page |
|--------|---|------|
| 2-1    | Schematic showing building distortions.   | 2-3  |
| 2-2    | Vertical elements of the lateral force resisting systems.                           | 2-6  |
| 3-1    | Seismic zone map of the United States.  | 3-2  |
| 4-1    | The space frame and the designated seismic moment resisting frame.                  | 4-3  |
| 4-2    | Dual system-deformations.   | 4-5  |
| 4-3    | C vs T.   | 4-8  |
| 4-4    | Period calculation by Method B.   | 4-9  |
| 4-5    | Sample site spectrum.   | 4-11 |
| 4-6    | Sample building design spectrum.  | 4-12 |
| 4-7    | Tributary weights at a story.   | 4-14 |
| 4-8    | Path of forces.   | 4-16 |
| 4-9    | Transfer of forces to ground.   | 4-17 |
| 4-10   | Seismic forces  | 4-18 |
| 5-1    | Diaphragms.   | 5-2  |
| 5-2    | Bracing an industrial building.   | 5-2  |
| 5-3    | Diaphragm flexibilities.  | 5-4  |
| 5-4    | Flexible diaphragm.   | 5-5  |
| 5-5    | Cantilever diaphragm.   | 5-6  |
| 5-6    | Building with walls on three sides.   | 5-7  |
| 5-7    | Calculated torsion.   | 5-8  |
| 5-8    | Accidental torsion amplification factor.  | 5-8  |
| 5-9    | Anchorage of cast-in-place concrete slabs.  | 5-13 |
| 5-10   | Attachment of superimposed diaphragm slab to precast slab units.                    | 5-14 |
| 5-11   | Precast concrete diaphragms using precast units.                                    | 5-15 |
| 5-12   | Concrete diaphragms using precast units — details permitted in Seismic Zone 1 only. | 5-16 |
| 5-13   | Corner of monolithic concrete diaphragm.  | 5-17 |
| 5-14   | Concrete diaphragms-typical connection details.                                     | 5-18 |
| 5-15   | Poured gypsum diaphragms — typical details.   | 5-20 |
| 5-16   | Steel deck diaphragms — typical details of fastenings.                              | 5-23 |
| 5-17   | Steel deck diaphragms Type A — typical attachments.                                 | 5-24 |
| 5-18   | Steel deck diaphragm Type A — typical details with open-web joists.                 | 5-25 |
| 5-19   | Steel deck diaphragm Type A — allowable shears and flexibility factors.             | 5-27 |
| 5-20   | Steel deck diaphragm Type A — sample calculation.                                   | 5-29 |
| 5-21   | Steel deck diaphragms Type B — typical attachments to frame.                        | 5-34 |
| 5-22   | Steel deck diaphragms with concrete fill.   | 5-37 |
| 5-23   | Wood details.   | 5-41 |
| 6-1    | Shear wall deformation.   | 6-2  |
| 6-2    | Deformation of shear wall with openings.  | 6-3  |
| 6-3    | Relative rigidities of piers and spandrels.   | 6-4  |
| 6-4    | Design curves for masonry and concrete shear walls.                                 | 6-5  |
| 6-5    | Out-of-plane effects.   | 6-7  |

# TM 5-809-10/NAVFAC P-355/AFM 88-3. Chap 13

| Figure | Title   | Page  |
|--------|---|-------|
| 6-6    | Minimum concrete shear wall reinforcement (two curtains).                                     | 6-8   |
| 6-7    | Minimum concrete shear wall reinforcement (one curtain).                                      | 6-9   |
| 6-8    | Shear wall with special boundary members.   | 6-10  |
| 6-9    | Tilt-up and other precast concrete walls — typical details of attachments.                    | 6-12  |
| 6-10   | Reinforced grouted masonry.   | 6-14  |
| 6-11   | Reinforced hollow masonry.  | 6-15  |
| 6-12   | Reinforced filled-cell masonry.   | 6-16  |
| 6-13   | Location of bond beams.   | 6-17  |
| 6-14   | Typical wall reinforcement — reinforced masonry.  | 6-18  |
| 6-15   | Reinforcement around wall openings.   | 6-19  |
| 6-16   | Masonry wall details.   | 6-21  |
| 6-17   | Plywood-sheathed wood stud shear walls.   | 6-23  |
| 6-18   | Allowable stresses for plywood-sheathed wood stud walls.                                      | 6-24  |
| 6-19   | Typical wood stud shear walls of various materials other than plywood.                        | 6-25  |
| 6-20   | Wood stud walls — typical tie-down details.   | 6-26  |
| 6-21   | Steel stud shear walls — typical details.   | 6-27  |
| 7-1    | Braced frames.  | 7-2   |
| 7-2    | Bracing for a tier building.  | 7-2   |
| 7-3    | Eccentric braced frame configurations.  | 7-3   |
| 7-4    | Deformed-frame geometry.  | 7-5   |
| 7-5    | Link beam and intermediate stiffeners.  | 7-6   |
| 8-1    | Frame deformations.   | 8-2   |
| 8-2    | Type A frame — limitations on dimensions.   | 8-4   |
| 8-3    | Type A frame — longitudinal reinforcement.  | 8-5   |
| 8-4    | Type A frame — splices in reinforcement.  | 8-6   |
| 8-5    | Type A frame — transverse reinforcement.  | 8-7   |
| 8-6    | Type A frame — girder web reinforcement.  | 8-8   |
| 8-7    | Type A frame — column transverse reinforcement.   | 8-9   |
| 8-8    | Type A frame — special transverse reinforcement.  | 8-10  |
| 8-9    | Type A frame — girder-column join analysis.   | 8-11  |
| 8-10   | Type B frame — frame requirements.  | 8-12  |
| 8-11   | Type B frame — longitudinal reinforcement.  | 8-13  |
| 8-12   | Type B frame — splices in reinforcement.  | 8-14  |
| 8-13   | Type B frame — transverse reinforcement.  | 8-15  |
| 8-14   | Type B frame — girder web reinforcement.  | 8-16  |
| 8-15   | Type B frame — column transverse reinforcement.   | 8-17  |
| 8-16   | Type B frame — slab/column framing system.  | 8-18  |
| 9-1    | Steel SMRF.   | 9-2   |
| 9-2    | Panel zone details.   | 9-3   |
| 11-1   | Typical details of isolation of walls.  | 11-2  |
| 11-2   | Veneered walls.   | 11-4  |
| 11-3   | Design forces for exterior precast elements.  | 11-5  |
| 11-4   | Suspended acoustical tile ceiling.  | 11-6  |
| 12-1   | Idealized acceleration magnification factor vs period ratio at 2 percent of critical damping. | 12-4  |
| 12-2   | Design MF vs period ratio.  | 12-5  |
| 12-3   | Amplification factor, $A_p$ , for nonrigid and flexibly supported equipment.                  | 12-6  |
| 12-4   | Maximum span for rigid pipe pinned-pinned.  | 12-9  |
| 12-5   | Maximum span for rigid pipe fixed-pinned.   | 12-10 |
| 12-6   | Maximum span for rigid pipe fixed-fixed.  | 12-11 |
| 12-7   | Maximum span for flexible pipes in Seismic Zone 4.  | 12-12 |
| 12-8   | Acceptable seismic details for sway bracing.  | 12-14 |
| 12-9   | Period coefficients for uniform beams.  | 12-15 |
| 12-10  | Seismic loading on cantilever stack.  | 12-16 |
| 12-11  | Single-guyed stack.   | 12-16 |
| 12-12  | Elevator details.   | 12-17 |
| 12-13  | Typical seismic restraint of hanging equipment.   | 12-18 |
| 12-14  | Typical seismic restraint of floor-mounted equipment.   | 12-19 |
| 13-1   | Effective liquid force distribution.  | 13-2  |
| 13-2   | Rigid body and sloshing liquid forces.  | 13-3  |
| 13-3   | Effective weight and height ratios.   | 13-4  |
| 13-4   | Period constant, $k_t$ .  | 13-5  |
| 13-5   | Coefficient $k_d$ .   | 13-6  |
| 14-1   | Manhole footing.  | 14-5  |
| 14-2   | Pipe through wall.  | 14-6  |
| 14-3   | Flexible joints.  | 14-7  |
| 14-4   | Flexible coupling.  | 14-8  |

| Figure | Title  | Page  |
|--------|--|-------|
| 14-5   | Coupling at tee.   | 14-9  |
| 14-6   | Fill-native material interface.                                    | 14-10 |
| 14-7   | Water distribution network.  | 14-11 |
| D-1    | Box system.  | D-2   |
| D-2    | Concrete ductile moment resisting space frame.                     | D-48  |
| D-3    | Steel ductile moment resisting space frame and steel braced frame. | D-73  |
| D-4    | Dual bracing system.   | D-126 |
| D-5    | Dual bracing system.   | D-138 |
| D-6    | Wood box system.   | D-145 |
| D-7    | Special configuration.   | D-158 |
| D-8    | L-shaped building.   | D-168 |
| E-1    | Pad-mounted transformer.   | E-2   |
| E-2    | Cooling tower in building.   | E-3   |
| E-3    | Unit heater — flexible brace.                                      | E-4   |
| E-4    | Unit heater — rigid support.                                       | E-6   |
| E-5    | Water heater.  | E-8   |
| E-6    | Tank on a building.  | E-10  |
| E-7    | Water riser.   | E-12  |
| F-1    | Elevated tank (braced frame).                                      | F-1   |
| F-2    | Vertical tank (on ground).   | F-4   |
| F-3    | Horizontal tank (on ground).                                       | F-8   |
| F-4    | Pole-mounted transformer.  | F-11  |
| F-5    | Tower-mounted equipment.   | F-12  |

**LIST OF TABLES**

| Table | Title   | Page  |
|-------|---|-------|
| 3-1   | Seismic zone tabulation — United States.  | 3-3   |
| 3-2   | Seismic zone tabulation — outside United States.  | 3-7   |
| 4-1   | $C$ vs $T$ for $S_1$ , $S_2$ , $S_3$ and $S_4$ .  | 4-7   |
| 4-2   | Value of $T$ to be exceeded for $C$ to be less than 2.75 when using Method A.   | 4-8   |
| 4-3   | Height to be exceeded for $C$ to be less than 2.75 when using Method A.   | 4-8   |
| 4-4   | Force distribution.   | 4-19  |
| 5-1   | Flexibility limitation on diaphragms.   | 5-9   |
| 5-2   | Flexibility and allowable shears.   | 5-10  |
| 5-3   | Shear values of poured gypsum diaphragms.   | 5-19  |
| 5-4   | Shear on anchor bolts and dowels-reinforced gypsum concrete.  | 5-19  |
| 5-5   | Maximum shear on trussed tees.  | 5-19  |
| 5-6   | Horizontal diaphragm shear.   | 5-40  |
| 6-1   | Minimum wall reinforcement.   | 6-19  |
| 8-1   | Concrete moment resisting frame systems.  | 8-3   |
| 12-1  | Amplification factor, $A_p$ , for nonrigid or flexibly supported equipment.   | 12-5  |
| 12-2  | Multiplication factors for Figure 12-7 for Seismic Zones 1, 2, and 3 or for cases where $ZI_pA_pC_p$ is not equal to 1.5. | 12-13 |
| 13-1  | Effective weight ratio.   | 13-4  |
| 13-2  | Effective height ratio.   | 13-5  |
| 13-3  | Period constant, $k_t$ .  | 13-6  |
| 13-4  | Coefficient $k_d$ .   | 13-6  |